


BASE SLAB BOTTOM MAT REINF. DETAILS
SLUDGE STORAGE TANK -1 (7.0m DIA)



BASE SLAB TOP MAT REINF. DETAILS
SLUDGE STORAGE TANK -1 (7.0m DIA)

NOTE:
 1. ALL DIMENSIONS ARE IN MM & METERS ONLY, UNLESS OTHERWISE SPECIFIED.
 2. DO NOT SCALE THE DRAWING FOLLOW FIGURED DIMENSIONS ONLY.
 3. READ THIS DRG. ALONG WITH MACHINE /EQUIPMENTS SUPPLIERS DRG. IN CASE OF ANY DISCREPANCY IT SHALL BE IMMEDIATELY BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE COMMENCING THE WORK.
 4. GRADE OF STEEL - Fe500.
 5. GRADE OF CONCRETE
 i). BEAM - M30 ii) SLAB - M30
 6. CLEAR COVER OVER MAIN REINFORCEMENT
 i). BEAM - 25mm ii) SLAB - 20mm

Rev.Nos.	DESCRIPTION	DATE	Chkd

PURPOSE: TENDER DRAWINGS

STRUCTURAL CONSULTANT :
PACE CONSULTANTS
 PH: 040-40068090
 E-mail: pace.hk@gmail.com

PROJECT :
M/S. JEEDIMETLA EFFLUENT TREATMENT LTD.

DRAWING TITLE :			
SLUDGE STORAGE TANK-1 (7.0m DIA) BASE SLAB REINF. DETAILS			
DRAWN	KEERTHIPRIYA	DESIGNED	H.K
CHECKED		DATE	23.11.2023
APPROVED		SCALE	N.T.S
DRG. NO.	SLGSTG/JETL/PC/ST-05	SHEET SIZE	REV NO.
		A3	00

THIS DRAWING IS THE PROPERTY OF PACE CONSULTANTS NO PART OF THE DRAWING MAY BE REPRODUCED IN ANY MANNER WHAT SO EVER WITHOUT PERMISSION FROM PACE CONSULTANTS.