




ELEVATIONAL DETAIL FOR PLINTH BEAM (PB1-300x900)



CROSS SECTION : B-B



CROSS SECTION : C-C

- NOTE:
1. ALL DIMENSIONS ARE IN MM & METERS ONLY, UNLESS OTHERWISE SPECIFIED.
 2. DO NOT SCALE THE DRAWING FOLLOW FIGURED DIMENSIONS ONLY.
 3. READ THIS DRG. ALONG WITH MACHINE /EQUIPMENTS SUPPLIERS DRG. IN CASE OF ANY DISCREPANCY IT SHALL BE IMMEDIATELY BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE COMMENCING THE WORK.
 4. GRADE OF STEEL - Fe500.
 5. GRADE OF CONCRETE
i) PLINTH BEAM - M30
 6. CLEAR COVER OVER MAIN REINFORCEMENT
i) PLINTH BEAM - 25mm

Rev.Nos.	DESCRIPTION	DATE	Chkd

PURPOSE: TENDER DRAWINGS

STRUCTURAL CONSULTANT :

PACE
CONSULTANTS
PH: 040-40068090
E-mail: pace.hk@gmail.com

PROJECT :

M/S. JEEDIMETLA EFFLUENT
TREATMENT LTD.

DRAWING TITLE :

SLUDGE STORAGE TANK-2(7.0m DIA)
COMPOSITE PLINTH BEAM DETAILS

DRAWN	KEERTHIPRIYA	DESIGNED	H.K
CHECKED		DATE	23.11.2023
APPROVED		SCALE	N.T.S
DRG. NO.	SLGSTG/JETL/PC/ST-09	SHEET SIZE	A3
		REV NO.	00

THIS DRAWING IS THE PROPERTY OF PACE CONSULTANTS NO PART OF THE DRAWING MAY BE REPRODUCED IN ANY MANNER WHAT SO EVER WITHOUT PERMISSION FROM PACE CONSULTANTS.