

SLUDGE STORAGE TANK -1 (7m DIA)

SECTIONAL DETAILS

(#) OUTLET PIPE SIZE SHALL BE AS PER CLIENT

NOTE:
1. ALL DIMENSIONS ARE IN MM & METERS ONLY, UNLESS OTHERWISE SPECIFIED.
2. DO NOT SCALE THE DRAWING FOLLOW FIGURED DIMENSIONS ONLY.
3. READ THIS DRG. ALONG WITH MACHINE /EQUIPMENTS SUPPLIERS DRG. IN CASE OF ANY DISCREPANCY IT SHALL BE IMMEDIATELY BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE COMMENCING THE WORK.
4. GRADE OF STEEL -Fe500.
5. GRADE OF CONCRETE
   i). BEAM - M30 ii) SLAB - M30
6. CLEAR COVER OVER MAIN REINFORCEMENT
   i). BEAM - 25mm ii) SLAB - 20mm

Rev.Nos.	DESCRIPTION	DATE	Chkd

PURPOSE: TENDER DRAWINGS

STRUCTURAL CONSULTANT :
PACE CONSULTANTS
CIVIL & STRUCTURAL ENGINEERS
PH: 040-40068090
E-mail: pace.hk@gmail.com

INDUSTRIES: PEB SHEDS, CHIMNEYS, MACHINE FOUNDATIONS, EFFLUENT TREATMENT PLANTS, RESERVOIRS
BUILDINGS: COMMERCIAL, RESIDENTIAL, HIGH RISE
DEFENSE: BLAST RESISTANT STRUCTURES, BUNKERS, MISSILE LAUNCH STRUCTURES

PROJECT :

M/S. JEEDIMETLA EFFLUENT TREATMENT LTD.

DRAWING TITLE :
SLUDGE STORAGE TANK-1(7.0m DIA)
SECTIONAL DETAILS

DRAWN	KEERTHIPRIYA	DESIGNED	H.K
CHECKED		DATE	23.11.2023
APPROVED		SCALE	N.T.S
DRG. NO.	SLGSTG/JETL/PC/ST-06	SHEET SIZE: A3	REV NO.: 00

THIS DRAWING IS THE PROPERTY OF PACE CONSULTANTS NO PART OF THE DRAWING MAY BE REPRODUCED IN ANY MANNER WHAT SO EVER WITHOUT PERMISSION FROM PACE CONSULTANTS.