


SCHEDULE OF SLABS

S.NO	TYPE	THICKNESS	SLAB REINF.			
			SHORT SPAN		LONG SPAN	
			SPAN(BOTT.)	SUPPORT(TOP.)	SPAN(BOTT.)	SUPPORT(TOP.)
1	S1	150	T8@150c/c (Alt.crkd)	T8@300c/c(crkd) +T10@300c/c(EXT)	T8@180c/c (Alt.crkd)	T8@360c/c(crkd) +T10@360c/c(EXT)
2	S2	150	T8@125c/c (Alt.crkd)	T8@250c/c(crkd) +T10@250c/c(EXT)	T8@150c/c (Alt.crkd)	T8@300c/c(crkd) +T10@300c/c(EXT)
3	S3	150	T8@100c/c (Alt.crkd)	T8@200c/c(crkd) +T10@200c/c(EXT)	T8@125c/c (Alt.crkd)	T8@250c/c(crkd) +T10@250c/c(EXT)
4	S4	200	T10@125c/c (Alt.crkd)	T10@250c/c(crkd) +T10@250c/c(EXT)	T8@180c/c (Alt.crkd)	T8@360c/c(crkd) +T10@360c/c(EXT)
5	S5	200	T10@100c/c (Alt.crkd)	T10@200c/c(crkd) +T10@200c/c(EXT)	T8@180c/c (Alt.crkd)	T8@360c/c(crkd) +T10@360c/c(EXT)



NOTE:

1. ALL DIMENSIONS ARE IN MM & METERS ONLY, UNLESS OTHERWISE SPECIFIED.
2. DO NOT SCALE THE DRAWING FOLLOW FIGURED DIMENSIONS ONLY.
3. READ THIS DRG. ALONG WITH MACHINE /EQUIPMENTS SUPPLIERS DRG. IN CASE OF ANY DISCREPANCY IT SHALL BE IMMEDIATELY BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE COMMENCING THE WORK.
4. GRADE OF STEEL Fe-550
5. GRADE OF CONCRETE
i) BEAM - M30 ii) SLAB - M30
6. CLEAR COVER OVER MAIN REINFORCEMENT
i) BEAM - 50MM ii) SLAB - 40MM

Rev.Nos.	DESCRIPTION	DATE	Chkd
PURPOSE: TENDER DRAWINGS			

STRUCTURAL CONSULTANT :

PACE
CONSULTANTS
PH: 040-40068090
E-mail: pace.hk@gmail.com

INDUSTRIES:
PEB SHEDS
CHIMNEYS
MACHINE FOUNDATIONS
EFFLUENT TREATMENT PLANTS
RESERVOIRS
BUILDINGS:
COMMERCIAL
RESIDENTIAL
HIGH RISE
DEFENSE:
BLAST RESISTANT STRUCTURES
BUNKERS
MISSILE LAUNCH STRUCTURES

PROJECT :

M/S. JEEDIMETLA EFFLUENT
TREATMENT LTD.

DRAWING TITLE :

SLABS SCHEDULE

DRAWN	KEERTHIPRIYA	DESIGNED	SHARIF
CHECKED		DATE	24.11.2023
APPROVED		SCALE	N.T.S
DRG. NO.	R.O PT/JETL/PC/ST-08	SHEET SIZE	REV NO.
		A3	00

THIS DRAWING IS THE PROPERTY OF PACE CONSULTANTS NO PART OF THE DRAWING MAY BE REPRODUCED IN ANY MANNER WHAT SO EVER WITHOUT PERMISSION FROM PACE CONSULTANTS.