

SECTION '4-4'



SECTION '3-3'



TOP VIEW OF STEP





STAIRCASE PLAN
(+4.05m LVL. TO +8.5m LVL.)

STAIRCASE

- STEEL TOP FLOOR TO FLOOR : 8950mm
- TREAD : 250mm
- RISERS : 60 NO.S @ 150mm
- STEP WIDTH : 1200mm

IMP NOTE:
GRADE OF STEEL -Fe250

COLUMN GROUP	SIZE
C1 (4NO'S)	2-ISMC400

NOTE:

1. ALL DIMENSIONS ARE IN MM & METERS ONLY, UNLESS OTHERWISE SPECIFIED.
2. DO NOT SCALE THE DRAWING FOLLOW FIGURED DIMENSIONS ONLY.
3. READ THIS DRG. ALONG WITH MACHINE /EQUIPMENTS SUPPLIERS DRG. IN CASE OF ANY DISCREPANCY IT SHALL BE IMMEDIATELY BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE COMMENCING THE WORK.

Rev.Nos.	DESCRIPTION	DATE	Chkd

PURPOSE: TENDER DRAWINGS

STRUCTURAL CONSULTANT :
PACE CIVIL & STRUCTURAL ENGINEERS
CONSULTANTS
PH: 040-40068090
E-mail: pace.hk@gmail.com

INDUSTRIES: PEB SHEDS, CHIMNEYS, MACHINE FOUNDATIONS, EFFLUENT TREATMENT PLANTS, RESERVOIRS
BUILDINGS: COMMERCIAL, RESIDENTIAL, HIGH RISE
DEFENSE: BLAST RESISTANT STRUCTURES, BUNKERS, MISSILE LAUNCH STRUCTURES

PROJECT :
M/S. JEEDIMETLA EFFLUENT TREATMENT LTD.

DRAWING TITLE :
STAIRCASE DETAILS (SHEET 2 OF 2)

DRAWN	KEERTHIPRIYA	DESIGNED	H.K
CHECKED		DATE	19.01.2024
APPROVED		SCALE	N.T.S
DRG. NO.	SLGSTG/JETL/PC/ST-15	SHEET SIZE	A3
		REV NO.	00

THIS DRAWING IS THE PROPERTY OF PACE CONSULTANTS NO PART OF THE DRAWING MAY BE REPRODUCED IN ANY MANNER WHAT SO EVER WITHOUT PERMISSION FROM PACE CONSULTANTS.