




ELEVATIONAL DETAIL FOR PLINTH BEAM (PB1-300x900)



SECTION 'A-A'



CROSS SECTION : B-B



CROSS SECTION : C-C

- NOTE:
1. ALL DIMENSIONS ARE IN MM & METERS ONLY, UNLESS OTHERWISE SPECIFIED.
 2. DO NOT SCALE THE DRAWING FOLLOW FIGURED DIMENSIONS ONLY.
 3. READ THIS DRG. ALONG WITH MACHINE /EQUIPMENTS SUPPLIERS DRG. IN CASE OF ANY DISCREPANCY IT SHALL BE IMMEDIATELY BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE COMMENCING THE WORK.
 4. GRADE OF STEEL - Fe500.
 5. GRADE OF CONCRETE
 - i). PLINTH BEAM - M30
 - ii). PLINTH BEAM - 25mm

| Rev.Nos. | DESCRIPTION | DATE | Chkd |
|----------|-------------|------|------|
| | | | |
| | | | |
| | | | |
| | | | |

PURPOSE: TENDER DRAWINGS

STRUCTURAL CONSULTANT :

PACE
CONSULTANTS
PH: 040-40068090
E-mail: pace.hk@gmail.com

INDUSTRIES:
PEB SHEDS
COLDCHAMBERS
MACHINE FOUNDATIONS
EFFLUENT TREATMENT PLANTS
RESERVOIRS
BUILDINGS:
COMMERCIAL
RESIDENTIAL
HIGH RISE
DEFENSE:
BLAST RESISTANT STRUCTURES
BUNKERS
MISSILE LAUNCH STRUCTURES

PROJECT :

M/S. JEEDIMETLA EFFLUENT TREATMENT LTD.

DRAWING TITLE :
SLUDGE THICKENER TANK (5.0m DIA)
COMPOSITE PLINTH BEAM DETAILS

| | | | |
|----------|--------------------|------------|------------|
| DRAWN | KEERTHIPRIYA | DESIGNED | H.K |
| CHECKED | | DATE | 23.11.2023 |
| APPROVED | | SCALE | N.T.S |
| DRG. NO. | SDTK/JETL/PC/ST-03 | SHEET SIZE | A3 |
| | | REV NO. | 00 |

THIS DRAWING IS THE PROPERTY OF PACE CONSULTANTS NO PART OF THE DRAWING MAY BE REPRODUCED IN ANY MANNER WHAT SO EVER WITHOUT PERMISSION FROM PACE CONSULTANTS.