



PLINTH BEAM LAYOUT
SLUDGE STORAGE TANK -1 (7.0m DIA)

NOTE:
1. ALL DIMENSIONS ARE IN MM & METERS ONLY, UNLESS OTHERWISE SPECIFIED.
2. DO NOT SCALE THE DRAWING FOLLOW FIGURED DIMENSIONS ONLY.
3. READ THIS DRG. ALONG WITH MACHINE /EQUIPMENTS SUPPLIERS DRG. IN CASE OF ANY DISCREPANCY IT SHALL BE IMMEDIATELY BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE COMMENCING THE WORK.
4.GRADE OF STEEL -Fe500.
5.GRADE OF CONCRETE
i) PLINTH BEAM - M30
6.CLEAR COVER OVER MAIN REINFORCEMENT
i) PLINTH BEAM - 25mm

Rev.Nos.	DESCRIPTION	DATE	Chkd
PURPOSE: TENDER DRAWINGS			

STRUCTURAL CONSULTANT :
PACE
CONSULTANTS
PH: 040-40068090
E-mail: pace.hk@gmail.com

CIVIL & STRUCTURAL ENGINEERS

INDUSTRIES:
PEB SHEDS
COLDREYS
MACHINE FOUNDATIONS
EFFLUENT TREATMENT PLANTS
RESERVOIRS
BUILDINGS:
COMMERCIAL
RESIDENTIAL
HIGH RISE
DEFENSE:
BLAST RESISTANT STRUCTURES
BUNKERS
MISSILE LAUNCH STRUCTURES

DRAWING TITLE :
SLUDGE STORAGE TANK-1(7.0m DIA)
PLINTH BEAM LAYOUT

DRAWN	KEERTHIPRIYA	DESIGNED	H.K
CHECKED		DATE	23.11.2023
APPROVED		SCALE	N.T.S
DRG. NO.	SLGSTG/JETL/PC/ST-02	SHEET SIZE	REV NO.
		A3	00

PROJECT :
M/S. JEEDIMETLA EFFLUENT TREATMENT LTD.

THIS DRAWING IS THE PROPERTY OF PACE CONSULTANTS NO PART OF THE DRAWING MAY BE REPRODUCED IN ANY MANNER WHAT SO EVER WITHOUT PERMISSION FROM PACE CONSULTANTS.

DRAWING TITLE : SLUDGE STORAGE TANK-1(7.0m DIA) PLINTH BEAM LAYOUT			
DRAWN	KEERTHIPRIYA	DESIGNED	H.K
CHECKED		DATE	23.11.2023
APPROVED		SCALE	N.T.S
DRG. NO.	SLGSTG/JETL/PC/ST-02	SHEET SIZE	REV NO.
		A3	00