



Ld(T): DEVELOPMENT LENGTH IN TENSION(46ϕ)  
Ld(C): DEVELOPMENT LENGTH IN COMPRESSION(38ϕ)



B101(450X950) (BEAM CURVED IN PLAN)



SECTION  
"1-1"

**NOTE:**

1. ALL DIMENSIONS ARE IN MM & METERS ONLY, UNLESS OTHERWISE SPECIFIED.
2. DO NOT SCALE THE DRAWING FOLLOW FIGURED DIMENSIONS ONLY
3. READ THIS DRG. ALONG WITH MACHINE /EQUIPMENTS SUPPLIERS DRG. IN CASE OF ANY DISCREPANCY IT SHALL BE IMMEDIATELY BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE COMMENCING THE WORK.
4. GRADE OF STEEL -Fe500.
5. GRADE OF CONCRETE
  - i). BEAM - M30
  - ii) SLAB - M30
6. CLEAR COVER OVER MAIN REINFORCEMENT
  - i). BEAM - 25mm
  - ii) SLAB - 20mm

[illegible]

PURPOSE:	TENDER DRAWINGS
----------	-----------------

STRUCTURAL CONSULTANT :
-------------------------

**PACE** CIVIL & STRUCTURAL ENGINEERS  
CONSULTANTS

PH: 040-40068090  
E-mail: pace.hk@gmail.com

PROJECT :

M/S. JEEDIMETLA EFFLUENT  
TREATMENT LTD.

**INDUSTRIES:**  
PEB SHEDS  
CHEMICALS  
MACHINE FOUNDATIONS  
EFFLUENT TREATMENT PLANTS  
RESERVOIRS  
**BUILDINGS:**  
COMMERCIAL  
RESIDENTIAL  
HIGH RISE  
**DEFENSE:**  
BLAST RESISTANT STRUCTURES  
BUNKERS  
MISSILE LAUNCH STRUCTURES

DRAWING TITLE :	SLUDGE STORAGE TANK-2(7.0m DIA) BASE SLAB BEAM DETAILS
-----------------	---

DRAWN	KEERTHIPRIYA	DESIGNED	H.K
CHECKED		DATE	23.11.2023
APPROVED		SCALE	N.T.S

DRG. NO.	SLGSTG/JETL/PC/ST-10	SHEET SIZE	REV N
		A3	00

THIS DRAWING IS THE PROPERTY OF PACE CONSULTANTS NO PART OF THE DRAWING MAY BE REPRODUCED IN ANY MANNER WHATSOEVER WITHOUT PERMISSION FROM PACE CONSULTANTS